

L Number	Hits	Search Text	DB	Time stamp
-	23	szondy.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:25
-	3	szondy.in. AND gyorgy.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:17
-	2	("6094677" "6363419").PN.	USPAT	2004/03/29 10:19
-	15	WAP WITH printing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:20
-	43	\$2direct\$3 WITH content WITH printer WITH user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:27
-	39	wireless ADJ printing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:37
-	53	print\$3 ADJ redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:48
-	0	contend NEAR redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:36
-	206	content NEAR redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:48
-	8	content NEAR redirect\$3 SAME wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:50
-	601	WAP ADJ gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:50
-	5	WAP ADJ gateway WITH redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:52
-	353	gateway WITH redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:52

-	3	WAP ADJ gateway WITH redirect\$3 ADJ request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:53
-	0	user ADJ (defined supplied) ADJ redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:54
-	53	user ADJ (defined supplied) WITH redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:08
-	5386	print\$3 WITH mobile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:08
-	874	print\$3 WITH mobile ADJ phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:08
-	279	@ad<20001228 AND print\$3 WITH mobile ADJ phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:19
-	9	print WITH WML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:29
-	2	("6157706" "6275575" "2002/0041399" "2002/0142786").PN.	USPAT	2004/03/29 13:25
-	2	("6157706" "6275575" "2002/0041399" "2002/0142786").PN.	USPAT	2004/03/29 13:26
-	0	"2002/0041399".PN.	USPAT	2004/03/29 13:27
-	8	"971807"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:30
-	0	"2002/0142786".PN.	USPAT	2004/03/29 13:30
-	19	"0142786"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:33
-	0	"2002/0142786".PN.	USPAT	2004/03/29 13:32
-	0	"2002/0142786".PN.	USPAT	2004/03/29 13:32
-	9	"824989"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:33
-	0	interpage.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:36

-	4	outfax	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 13:57
-	260	fax WITH URL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:01
-	88	fax WITH URL AND @ad<20001228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:01
-	66	fax NEAR3 URL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:01
-	23	fax NEAR3 URL AND @ad<20001228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:01
-	1	@ad<20001228 AND select\$7 WITH conver\$4 WITH HTML WITH WAP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:10
-	1	@ad<20001228 AND select\$7 WITH conver\$4 WITH HTML WITH WML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:11
-	83	@ad<20001228 AND select\$7 WITH conver\$4 WITH HTML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:13
-	3	@ad<20001228 AND optionally WITH conver\$4 WITH HTML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:15
-	1228	@ad<20001228 AND conver\$4 WITH HTML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:16
-	29	@ad<20001228 AND conver\$4 WITH HTML WITH (WAP WML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:20
-	2	@ad<20001228 AND conver\$4 WITH HTML WITH (WAP WML) WITH necessary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:22

-	35	@ad<20001228 AND conver\$4 WITH HTML WITH necessary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:22
-	2	@ad<20001228 AND conver\$4 WITH HTML WITH (WAP WML) WITH (necessary needed required)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:22
-	68	@ad<20001228 AND conver\$4 WITH HTML WITH (necessary needed required)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:23
-	4	@ad<20001228 AND conver\$4 WITH HTML WITH (necessary needed required) WITH only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:26
-	148	@ad<20001228 AND optionally ADJ convert	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:27
-	13	@ad<20001228 AND optionally ADJ convert WITH format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:30
-	21	@ad<20001228 AND optionally ADJ convert WITH data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:29
-	3	@ad<20001228 AND optionally ADJ convert WITH code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:29
-	120	@ad<20001228 AND WAP ADJ gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:31
-	22	@ad<20001228 AND WAP ADJ gateway SAME conver\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:01
-	0	@ad<20001228 AND reset ADJ redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:01
-	1	@ad<20001228 AND reset NEAR redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:02

-	633	@ad<20001228 AND redirect\$3 WITH once	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:04
-	81	@ad<20001228 AND redirect\$3 WITH reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:05
-	29	@ad<20001228 AND redirect\$3 NEAR5 reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:02
-	7	@ad<20001228 AND redirect\$3 WITH only ADJ once	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:04
-	14	@ad<20001228 AND redirect\$3 WITH reset WITH (one once)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 14:05